COMMITTEE AMENDMENT FORM

DATE: <u>03/16/ 05</u>

COMMITTEE ZONING. PAGE NUM. (S)

ORDINANCE I. D. #04-0-1842 SECTION (S)

RESOLUTION I. D. #05-R- PARA.

AMENDS THE LEGISLATION BY ADDING NINE (9) CONDITIONS AND A NEW SITE PLAN MAP.

Municipal Clerk Atlanta, Georgia

04-0 -1842

AN ORDINANCE BY: ZONING COMMITTEE U-04-23

BE IT ORDAINED BY THE COUNCIL OF THE CITY OF ATLANTA, GEORGIA, as follows:

SECTION 1. Under the provisions of Section 16-08.005 (1)(f) of the Zoning Ordinance of the City of Atlanta, a Special Use Permit for a Personal Care Home (Assisted Living with Nursing Home Component) is hereby approved. Said use is granted to Isakonson/Barnhart Development Co., LLC and is to be located at 228 Peachtree Hills Avenue, N.E. and 2289 Virginia Place, N.E. and 2254 Virginia Place, N.E., to wit:

ALL THAT TRACT or parcel of land lying and being in Land Lot 102of the 17th District, County, Georgia, being more particularly described by the attached legal description.

SECTION 2. That this amendment is approved under the provisions of Section 16-25.003 of the Zoning Ordinance of the City of Atlanta, entitled, "Special Use Permits, Procedural Requirements", and the Director, Bureau of Buildings, shall issue a building permit only in compliance with the applicable provisions of this part. The applicable conditional site plan and any other conditions hereby imposed are enumerated by attachment. The Special Use Permit hereby approved does not authorize the violation of any zoning district regulations. District regulation variances can be approved only by application to the Board of Zoning Adjustment.

<u>SECTION 3.</u> That all ordinances or parts of ordinances in conflict with the terms of this ordinance are hereby repealed.

0-04-23

Georgia and being more particularly described as follows: All that track or parcel of land lying in Land Lot 102, 17th District, Fulton County, BESCRIPT ON TRACT

of 225.96 feet and having a radius of 484.00 feet) to a 3/8 inch reinforcing rod found at the apparent centerline of the former Junction Avenue; Thence running along the apparent BEGINNING AT A POINT, said point being a 1/2 inch reinforcing rod found at the intersection of the easterly line of Land Lot 102 with the northerly margin of the right—of—way of Virginia Place along a curve to the left an arc distance of 228.06 feet (said arc being subtended by a chord bearing of North 07 degrees 22 minutes 41 seconds East, a chord distance Peachtree Hills Avenue; Thence running along the easterly margin of the right-of-way of easterly margin of Virginia Place (50 foot right-of-way) with the northerly margin of distance of 791.82 feet to a 1/2 inch reinforcing rod found at the intersection of the Peachtree Hills Avenue (60 foot right-of-way); Thence running along the northerly margin of the right-of-way of Peachtree Hills Avenue North 89 degrees 51 minutes 47 seconds West, a inch reinforcing rod found; Thence South 89 degrees 45 minutes 38 seconds East, a distance of 373.06 feet to a fence post found on the easterly line of Land Lot 102; Thence running along the easterly line of Land Lot 102, South 01 degrees 10 minutes 35 seconds West, a distance of found; Thence South 89 degrees 38 minutes 44 seconds East, a distance of 60.42 feet to a 1/2 degrees 44 minutes 17 seconds East, a distance of 333.97 feet to a 1/2 inch open top pipe centerline of the former Junction Avenue the following courses and distances: North 225.62 feet to a 1/2 inch reinforcing rod found and the TRUE POINT OF BEGINNING

Said tract or parcel of land containing 3.992 Acres

LEGAL DESCRIPTION

175 VILLAGE PARKWAY

Landscape Architects 770-955-2421

Consultants

DRAWN BY APR CHECKED BY J

DATE 07-08-04

SCALE NONE

JOB NO. 03063

3063LEGAL

CAD FILE PLOT DATE 07-08-04

SPRINGS ARK

102, 17th DISTRICT, FULTON COUNTY, GEORGIA

Isakson Barnhart
Technology Parkway South #201
Norcross, Georgia 30092
770-417-1788

3

119.88 feet to an iron pin set on the southerly margin of Kinsey Court (50 foot right—of—way); Thence running along the margin of the right—of—way of Kinsey Court along a curve to the left an arc distance of 141.61 feet (said arc being subtended by a chord bearing of South 88 degrees 14 minutes 40 seconds right-of-way); Thence running along the easterly line of Land Lot 102, South 00 degrees 22 minutes 53 seconds West, a distance of 860.25 feet to a 1 inch open top pipe found; Thence leaving said easterly line of Land Lot 102 and running South 61 degrees 06 minutes 04 seconds West, a distance of 476.59 distance of 31.87 feet to a 5/8 inch reinforcing rod found; Thence North 89 degrees 32 minutes 54 teet 00 degrees 40 minutes 50 seconds East, a distance of 602.18 feet to an iron pin set; Thence along a curve to the right an arc distance of 157.96 feet (said arc being subtended by a chord bearing of North 45 degrees 29 minutes 27 seconds East, a chord distance of 142.35 feet and having a radius of 42 minutes 19 seconds West, a distance of 228.96 feet to a 1/2 inch crimp top pipe found; Thence South 89 degrees 30 minutes 03 seconds West, a distance of 74.78 feet to a 1/2 inch open top pipe found on seconds West, a distance of 105.88 feet to a 1/2 inch reinforcing rod found; Thence North 89 degrees East, a chord distance of 110.96 feet and having a radius of 60.00 feet) to an iron pin set; Thence leaving said Kinsey Court and running North 82 degrees 55 minutes 12 seconds East, a distance of 152.57 feet to an Iron pin set; Thence North 01 degrees 12 minutes 39 seconds East, a distance of 122.90 feet to an Iron pin set; Thence North 55 degrees 23 minutes 58 seconds West, a distance of Land Lot 102 with the southerly margin of the right-of-way of Peachtree Hills Avenue (60 fool the easterly margin of the right-of-way of Virginia Place (50 foot right-of-way); Thence running along the easterly margin of the right-of-way of Virginia Place the following courses and distances: North BEGINNING AT A POINT, said point being an Iron pin set at the intersection of the easterly line of 249.17 feet to a 5/8 inch reinforcing rod found; Thence South 88 degrees 11 minutes 18 seconds West, to an Iron pin set; Thence North 79 degrees 32 minutes 00 seconds West, a distance of 213.25 feet 1 inch open top pipe found; Thence North 51 degrees 52 minutes 55 seconds East, a distance of to an Iron pin set at the intersection of the southeasterly margin of Virginia Place with

DESCRIPTION

DRAWN BY APR CHECKED BY JL DATE 07-08-04 SCALE NONE JOB NO. 03063 CAD FILE 3063LEGAL PLOT DATE 07-08-04

275 VILLAGE PARKWAY MARIETTA, GA 30067 ondecape Architects onsuitants

Said tract or parcel of land containing 16.992 acres

the southerly margin of the right-of-way of Peachtree Hills Avenue; Thence running along the southerly margin of the right-of-way of Peachtree Hills Avenue, South 89 degrees 42 minutes 04 seconds East, a distance of 811.37 feet to an Iron pin set on the easterly line of Land Lot 102 and the TRUE POINT OF

ARK **SPRINGS**

770-955-242

Isakson Barnhart 25 Technology Parkway South #201 Norcross, Georgia 30092 770-417-1788

1)-04-23

All that tract or parcel of land lying in Land Lot 102, 17th District, Fulton County, Georgia, and being more particularly described as follows:

4.90 feet to a 3/8 reinforcing rod found; Thence North 00 degrees 00 minutes 02 seconds East, a distance of 172.18 feet to a 1 inch open top pipe found; Thence North 01 degrees 3 minutes 52 seconds East, a distance of 61.10 feet to a 1 inch open top pipe found; Thence North 00 degrees 40 minutes 55 seconds East, a distance of 59.91 feet to a 1 inch open top Peachtree Hills Avenue; Thence running along the southers 57 seconds East, a distance of 205.42 Peachtree Hills Avenue, South 89 degrees 29 minutes 57 seconds East, a distance of 205.42 North 00 degrees 40 minutes 55 seconds East, a distance of 59.91 feet to a 1 inch open top pipe found; Thence North 01 degrees 10 minutes 03 seconds East, a distance of 102.48 feet North 00 degrees 25 minutes 25 seconds East, a found; Thence leaving said margin of the right-of-way of Virginia Place and running North degrees 26 minutes 21 seconds West, a distance of 199.43 feet to an iron pin set; Thence with the westerly margin of the right-of-way of Virginia Place (50 foot right-of-way) feet to a 1 inch crimp top pipe found at the intersection of the sright—of—way of Peachtree Hills Avenue with the westerly margin of Virginia Place and the TRUE POINT OF BEGINNING. degrees 32 minutes 50 seconds West, a distance of 498.24 feet to a 1/2 the southerly margin of the right-of-way of Peachtree Hills Avenue (60 foot right-of-way BEGINNING AT A POINT, said point being a 42.31 feet to a 1 inch open top pipe found on the southerly margin of the right—of way o einforcing rod found; Thence North 88 degrees 07 minutes 34 seconds West, a distance of Thence running along the westerly margin of the right-of-way of Virginia Place, South 00 /8 inch shaft found; Thence North 01 degrees 47 minutes 16 seconds West, a distance o inch crimp top pipe found at the intersection intersection of the southerly margin of the distance of 60.00 feet to a 3/8 inch inch open top pipe 89

Said tract or parcel of land containing 2.336 acres

LEGAI DESCRIPTION

andscape Architects 770-955-2421

onsultants

APR CHECKED BY JL DATE 07-08-04 SCALE NONE JOB NO. 03063 CAD FILE 3063LEGAL PLOT DATE

07-08-04

DRAWN BY

PARK SPRINGS II

102, 17th DISTRICT, FULTON COUNTY, GEORGIA

Isakson Barnhart 25 Technology Parkway South #201 Norcross, Georgia 30092 770-417-1788

Conditions for U-04-23
For
228 Peachtree Hills Avenue, N.E.
2289 Virginia Place, N.E.
2254 Virginia Place, N.E.

- 1. Conditioned on site plan titled "Peachtree Hills Apartments Redevelopment Plan", dated December 7, 2004 and marked received by the Bureau of Planning on January 22, 2005.
- 2. The park on the corner of Virginia and Peachtree Hills Avenue, the three Parks along the north side of Peachtree Hills Avenue and the Nature Trail located in the conversation easement area are intended for public use.
- 3. All utilities on site shall be underground. Public utilities in the R/W may be above ground.
- 4. The Health Care building shall be limited to 36 units (36 beds).
- 5. Activities in the conversation easement area shall be limited to walking trails, viewing decks on patios, fencing, and related amenities and certain storm and/or sanitary sewer lines, detention areas, and other utilities in connection with the initial construction of the CCRC that may need to be located in such area as is reasonably necessary for construction and operation of the CCRC.
- 6. Independent living units per tract shall be limited to the numbers shown on the legend of this plan.
- 7. Building heights shall be limited to that shown on this plan. All building heights are from finished grade on at least one side with parking below except Tract II which may require parking at or partially below finished grade.
- 8. The Owner shall provide a community bulletin board kiosk in the park on the corner of Virginia Place and Peachtree Hills Avenue.
- 9. No walls or fences shall be constructed along the right-of-way accept at points of entry for architectural and signage purposes. Gates may be permitted at the rear drive on parcel I and entry drives for parcels II and III as well as all parking area points of entry behind and under permitted. Fencing for mutual privacy or security along off street property lines may be permitted. The nature trail may be gated to allow it to close at dark in deemed necessary for safety and security.

